

PATENT

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: J. Christopher Flaherty  
 Serial No: 09/970,945  
 Filing Date: October 4, 2001  
 Title: DATA COLLECTION ASSEMBLY  
 FOR PATIENT INFUSION SYSTEM  
 Docket No: 59249-024 (INSL-113)

Group Art Unit: 3763  
 Examiner: Matthew F. DeSario

RECEIVED  
CENTRAL FAX CENTER

APR - 6 2004

OFFICIAL

## CERTIFICATE OF TRANSMISSION UNDER 37 C.F.R. § 1.8(a)

I hereby certify that this correspondence is being facsimile transmitted to Technology Center 2400 of the U.S. Patent and Trademark Office (Fax No. (703) 872-9302) on April 6, 2004.

*Jeff Miller*  
Jeff Miller

Via Facsimile 703-872-9302  
 Commissioner for Patents  
 P.O. Box 1450  
 Alexandria, VA 22313-1450

## PETITION FOR A ONE-MONTH EXTENSION OF TIME UNDER 37 C.F.R. § 1.136(a)

Dear Sir:

In response to the Office Action mailed January 6, 2004, applicant respectfully petitions for an extension of time of ONE month from April 4, 2004, up to and including May 4, 2004. The applicant will not file an amendment and/or a response to the Office Action mailed January 6, 2004 and will allow the above-identified application to go abandoned. However, applicant will be filing a continuing application (Atty. Docket No. INSL-110CP) claiming priority to the above-identified application before the one month extension of time expires on May 4, 2004 and while the above-identified application is still pending.

The Commissioner is also hereby authorized to charge the requisite extension fee of \$55.00 as required under 37 C.F.R. § 1.17(a)(1) to Deposit Acct. No. 50-1133. The Commissioner is also hereby authorized to charge any additional fees which may be required to Deposit Acct. No. 50-1133.

Respectfully submitted,

*Jeff Miller*  
 Jeffrey J. Miller  
 Registration Number 39,773  
 McDermit, Will & Emery  
 28 State Street  
 Boston, MA 02109-1775  
 Tel.: (617) 535-4421  
 Fax: (617) 535-3800

1/2004 DBROOKS 00000008 501442 6/19/04  
 D:2251 Dated: 55.00 DA

ESTYP: 1402829-1.059249.0024